



PRODUCT DATA SHEET

#30 / #31 ADHESIVE COATED SYNTHETIC RUBBER FOAM

DESCRIPTION:

- ✚ Open cell Styrene Butadiene Rubber (SBR) foam supported substrate.
- ✚ SBR is a synthetic Foam Rubber which does not contain Latex.
- ✚ Proprietary White Synthetic Rubber Adhesive Formula with white release liner
- ✚ 100% Latex Free
- ✚ Color: Cream
- ✚ Made in USA
- ✚ Non-sterile, for external usage and disposable
- ✚ Store Cool & Dry for maximum performance
- ✚ Designed for custom padding applications
- ✚ Individual Shrink-wrap & label per roll



PHYSICAL PROPERTIES*:

Tensile Strength (PSTC-31):	1/4" Thickness: 30 lbs/linear inch
Tensile Strength (PSTC-31):	1/8" Thickness: 10 lbs/linear inch
Adhesion 180° Peel to SS (PSTC-101):	60-ounces/linear inch
Density (ASTM D-1667):	11 lbs/ft ³ (+/- 2 lbs/ft ³)
Hardness (ASTM D-2240):	27 (+/- 5)

SS= Stainless Steel

STANDARD SIZE/PACKAGING:

Product No	Size	Rolls/Cs
30-507218	5" x 72" x 1/8"	60
31-507214	5" x 72" x 1/4"	30

Custom sizes and packaging available upon request and volume

Width Specification

Tolerance	+/- 1/8"
-----------	----------

Length Specification

Tolerance	+/- 4"
-----------	--------

STORAGE:

The above product should be stored in a cool dry environment for best results of product performance. Average recommended temperature for storage: 60° to 72° Fahrenheit (19.4° to 22.8° Centigrade) * Pressure Sensitive Tape Council methods used when applicable.

Testing represents typical performance values (averages). Technical information provided by Jaybird & Mais, Inc. is based on experience and/or tests believed to be reliable, but their accuracy is not guaranteed and the results may not be relevant to every user's application. For this reason Jaybird & Mais, Inc. does not accept responsibility or liability, direct or consequential, arising from reliance upon any information provided and the user should determine the suitability of the products for their intended use. Mar-5, 2015

Please contact Jaybird & Mais, Inc. for additional product information.