



PRODUCT DATA SHEET

EX25 Pro-White™ – RIGID WHITE ADHESIVE TAPE

DESCRIPTION:

- ✦ Bleached White Fabric based adhesive Tape
- ✦ Proprietary White Synthetic Rubber Adhesive Formulation
- ✦ 100% Latex Free
- ✦ Made in USA by Jaybird & Mais, Inc.
- ✦ Computerized Unwind Tension
- ✦ Serrated Edge Cut (SEC) - standard
- ✦ Strait Edge Cut - optional
- ✦ Non-sterile, for external usage and disposable
- ✦ Hand Tearable (bi-directional)
- ✦ Stable Adhesive Coating when exposed to heat
- ✦ Store Cool & Dry for maximum performance



PHYSICAL PROPERTIES*:

Tensile Strength (PSTC-31):	43 lbs/linear inch
Thickness:	10-11 mils
Adhesion 180° Peel to SS (PSTC-101):	29-ounces/linear inch
Adhesion 180° Peel to Backer (101):	29-ounces/linear inch
Water immersion (15 minute):	Good Adhesion to steel, no residue
Rolling Ball (PSTC-6) Adhesion:	3/4 linear inch
SS= Stainless Steel	

STANDARD SIZE/PACKAGING:

Product No	Size	Rolls/Cs
EX25-1015S	1" x 15 yards (2,5cm x 13,7m)	48
EX25-1515S	1½" x 15 yards (3,8cm x 13,7m)	32
EX25-2015S	2" x 15 yards (5,0cm x 13,7m)	24
EX25-1515W	1½" x 15 yards (3,8cm x 13,7m)	32
EX25-3810S	3,8cm x 10 meters	32
EX25-1010S	1" x 10 yards (2,5cm x 9,1m)	200
EX25-0510S	½" x 10 yards (1,3cm x 9,1m)	400
EX25-0505S	½" x 5 yards (1,3cm x 4,6m)	672
EX25-2010S	2" x 10 yards (5,0cm x 9,1m)	100

Width Specification

Tolerance	+/- 1.59mm (1/16")
-----------	--------------------

Length Specification

Tolerance	+/- 38.1cm (15")
-----------	------------------

STORAGE:

The above product should be stored in a cool dry environment for best results of product performance. Average recommended temperature for storage: 60° to 72° Fahrenheit (19.4° to 22.8° Centigrade) * Pressure Sensitive Tape Council methods used when applicable.

Testing represents typical performance values (averages). Technical information provided by Jaybird & Mais, Inc. is based on experience and/or tests believed to be reliable, but their accuracy is not guaranteed and the results may not be relevant to every user's application. For this reason Jaybird & Mais, Inc. does not accept responsibility or liability, direct or consequential, arising from reliance upon any information provided and the user should determine the suitability of the products for their intended use. Mar-5, 2015.

Please contact Jaybird & Mais, Inc. for additional product information.

360 Merrimack Street • Lawrence, MA 01843 USA • Tel 978-686-8659 • sales@jaybird.com