3M Framing Technologies

Practice your art, impress your customers, and increase your productivity



Scotch® ATG Adhesive Systems – finger touch application of pressure sensitive adhesive



Scotch® ATG Tape 924

Aggressive, general purpose 2-mil adhesive bonds instantly for permanent double matting, dust covers, mounting, and attaching decorative papers or fabrics.

Scotch® ATG Tape 969

High strength, high tack 5-mil adhesive helps you adhere many difficult-to-bond materials.

Scotch[®] Adhesive Tape 928

Quick, clean way to temporarily attach or assemble paper, foils, films, fabrics, and mat boards.





Save time and effort for double matting, filleting, dust covers, and more – With **Scotch® ATG 700** or **ATG 714 Applicators** and **Scotch® ATG Tapes**, a touch of your finger applies a precise strip of adhesive at the same time as the liner rewinds into the applicator.




tting, Mounting, and Assembly

3M[™] Reclosable Fasteners for multiple attachments and removals




Scotchmate[™] Hook and Loop Fasteners



To attach, remove, rearrange, and reattach memorabilia within the box, you can use either 3M[™] Scotchmate[™] Hook and Loop Reclosable Fasteners or the heavier duty 3M[™] Dual Lock[™] Reclosable Fasteners. Scotchmate[™] Fasteners open and close thousands of times. The hook side alone can attach directly to many fabrics used on backing boards. Dual Lock[™] Fasteners open and close hundreds of times and can stabilize heavier items such as a trophy.

3M pressure sensitive adhesive backing on either product holds securely to a wide variety of materials including fabric, paper, metal, and many plastics.

Dual Lock[™] Low Profile Reclosable Fasteners





For corner sample display, one side is on the wall; the other side is on back of the sample. 3M pressure sensitive adhesive backing holds securely to the wall and the sample, replacing staples that could split the sample edge.

Dual Lock[™] Reclosable Fasteners



More technologies at a glance



Scotch-Brite® Micro-fiber Cleaning Cloth

Soft micro-texture cloth removes fingerprint oils, smudges, dust, and lint from glass and frames without streaking.

Scotch[®] Magic[™] Tape 810

Virtually disappears and stays invisible when holding V-grooves and inlays in place.

Scotch[®] Removable Magic[™] Tape 811

Temporarily secures mats, fallouts, art, photos, and other elements and removes without damaging most surfaces.

Scotch[®] Polyester Tape 850

Single-coated polyester film tape in reflective gold and silver, plus red, white, or black to add color in covering deep bevels.

Scotch[®] Preservation Tapes 887 and 889

Single coated and double coated tapes with acid-free low-outgassing acrylic adhesive for long term applications without yellowing.

Scotch® Positionable Mounting Adhesive (PMA 568)

Dry mounting for sensitive papers and colors that can't hold up to heat, as well as thin papers



3M Aerosol Adhesives - based on more than 40 years experience



$3M^{\mathbb{M}}$ Photo Mount^{\mathbb{M}} Spray Adhesive

Safe for permanently mounting photo papers, reproductions, illustrations, maps, posters, and signs.

3M[™] Vac-U-Mount[™] Adhesive

Use with a vacuum frame system for mounting lithographs, photographs, and more.

3M[™] Spray Mount[™] Artist's Adhesive

For attachment of lay-out paper, tissue, newsprint, fabric, foil, and most acetate.

3M[™] Adhesive Remover

Citrus-based adhesive remover wipes away adhesive overspray, grease, and oils.

3M[™] Super 77[™] Multipurpose Adhesive

Versatile, fast-drying adhesive that bonds a wide range of lightweight materials including fabric, foil, paper, wood, and metal.

PRODUCT USE: All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can affect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environmental conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application. **WARRANTY AND LIMITED REMEDY:** 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. **3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective, your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to repair or replace the product or refund the purchase price. LIMITATION OF LIABILITY:** Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

3M

Industrial and Transportation Business Industrial Adhesives and Tapes Division

Building 21-1W-10 900 Bush Avenue St. Paul, MN 55144-1000 1-800-362-3550 www.3M.com/industrial 3M, Scotch, Scotch-Brite, Magic, Super 77, Photo Mount, Vac-U-Mount, Spray Mount, Dual Lock, and Scotchmate are trademarks of 3M.

© 2006, 3M. All rights reserved. 70-0709-3996-5